

VOÇÊ JÁ VIU CÓDIGOS COMO ESTES

UDERSON LUIS FERMINO

Sumario:

Padrão de código ABAP. Confira os comentários nos seguintes programas. Depois de ler este você não vai ter qualquer queixa sobre o seu próprio padrões de codificação como Não especialmente adequada atualização comentários. Por favor, tente verificar em seus sistemas DEV respectivos e você ficará surpreso com certeza.

Sobre o Autor:

Uderson Luis Fermino, formado em Ciências da Computação pela Faculdade de Pesquisa e Ensino IPEP, atua no mercado a 2 anos como desenvolvedor Java nas plataformas: (J2SE, J2EE e J2ME), com participação em grandes projetos envolvendo estas tecnologias. É consultor ABAP com experiências em REPORT, ALV (GRID, LIST, BLOCK, OO, TREE, HIERARQUICK), IDOC, ALE, ONLINE, SAPSCRIPT, SMARTFORM, NETWEAVER (JCO, BSP, WebDynpro).

Email:

Uderson@gmail.com

VOÇÊ JÁ VIU CÓDIGOS COMO ESTES

UDERSON LUIS FERMINO


1: CRM_GET_KEYDATA



```
Function Builder: Display CRM_GET_KEYDATA
CRM_GET_KEYDATA Active
Source code
91 DATA FNAME(40) TYPE C .
92 GENERATE SUBROUTINE POOL LT_SOURCE NAME FNAME .
93 IF SY-SUBRC <> 0.
94 MESSAGE ID 'SU' TYPE 'E' NUMBER '000'
95 WITH 'Shit happens!'. "#EC NOTEXT
96 * MESSAGE ID sy-msgid TYPE sy-msgty NUMBER sy-msgno
```

- shit happens – Merda Acontece

2: RSINFF01



```
ABAP Editor: Display Include RSINFF01
RSINFF01 Active
3603 read table nplan with key week = nplan-week daye = nplan-daye
3604 timee = nplan-timee btype = nplan-btype.
3605 delete nplan index sy-tabix.
3606 " we have to delete the whole fucky bunch of volumes where we
3607 " were able to insert before (life is terrible)
3608 delete from sdbar where cretstmp = now_tstmp.
3609 perform commit_abend using 'SDBAR' 'INSERT'.
3610 rc = 8.
```

- we have to delete the whole fucky bunch of volumes where we, were able to insert before (life is terrible) - temos que apagar o monte fucky de volumes onde foram capazes de inserir antes (a vida é terrível)

VOÇÊ JÁ VIU CÓDIGOS COMO ESTES

UDERSON LUIS FERMINO


3: RPUWUPDB



```
ABAP Editor: Display Report RPUWUPDB
Report: RPUWUPDB Active
404 SY-LSIND = 1.
405 SET PF-STATUS CON_CHNLSIND1 EXCLUDING 'BACK'.
406 PERFORM WRITE_ITAB_CSTIT.
407 * WRITE: 'Bullshit, der Status sitzt immer noch nicht'.
408 ENDF.
409
```

- Bullshit, der Status sitzt immer noch nicht' – Merda de Touro, o status fica parado.

4: CRWBDO_START_BATCH




```
Function Builder: Display CRWBDO_START_BATCH
Function module: CRWBDO_START_BATCH Active
Attributes Import Export Changing Tables Exceptions Source code
1 FUNCTION CRWBDO_START_BATCH .
2 ****Lokale Schnittstelle:
3 **** IMPORTING
4 **** REFERENCE(CREATE_BASELINES) TYPE DE_CM_FLAG OPTIONAL
5 **** REFERENCE(EXPAND_BASELINES) TYPE DE_CM_FLAG OPTIONAL
6 **** REFERENCE(FIXATION_BASELINES) TYPE DE_CM_FLAG OPTIONAL
7 **** REFERENCE(CREATE_DISTRIBUTION_ORDER) TYPE DE_CM_FLAG OPTIONAL
8 **** REFERENCE(START_DISTRIBUTION_ORDER) TYPE DE_CM_FLAG OPTIONAL
9 **** TABLES
10 **** CM_KEYS TYPE TAB_CMO_KEY OPTIONAL
11 **** DISTORDER_DATA TYPE CRWS_PSB_TAB_DISORDER OPTIONAL
12 **** EXCEPTIONS
13 **** CRAP INPUT
14 ****
```

- Crap_input – Porcaria de entrada.

VOÇÊ JÁ VIU CÓDIGOS COMO ESTES

UDERSON LUIS FERMINO

5:RCIFCUST




The screenshot shows the ABAP Editor interface for Report RCIFCUST. The code is as follows:

```
304 * text for checkbox
305
306 LOOP AT lt_cifobjinfo WHERE imtyp = lt_cifobjinfo-imtyp.
307 * ABAP sucks!
308 CLEAR: lv_text1, lv_text2.
```

- Sucks - suga

6:LV61BMES



The screenshot shows the ABAP Editor interface for Include LV61BMES. The code is as follows:

```
1 *-----*
2 * INCLUDE LV61BMES
3 *-----*
4 * This INCLUDE contains all generated access routines. Never change it
5 * manually.
6 * Whoever disturbs the silence in this INCLUDE will be hunted by 1000
7 * crying devils!!!
8 *-----*
9 *
```

Já foi retirado, rsss.

VOÇÊ JÁ VIU CÓDIGOS COMO ESTES

UDERSON LUIS FERMINO

7: LATPCFA6

```
ABAP Editor: Display Include LATPCFA6
Include LATPCFA6 Active
112 P_ATPALLX
113 P_ATPCSX
114 S_QTDATX
115 S_QTOBJX
116 S_QTCORX.
117
118 * these are the adventures of the new spaceship BERID;
119 * she intrudes into MRP areas where no man has gone before;
120 PERFORM DISPO AREA SET TABLES P_ATPCSX
```

- these are the adventures of the new spaceship BERID; she intrudes into MRP areas where no man has gone before; - estas são as aventuras do BERID nova nave espacial; ela se intromete em áreas MRP, onde nenhum homem foi antes;

8: MV45AF0R_REFRESH_HELP_VALUES


```
ABAP Editor: Display Include MV45AF0R_REFRESH_HELP_VALUES
include MV45AF0R_REFRESH_HELP_VALUES Active
22 DATA: VALUES_ID TYPE VRM_ID.
23
24 LOOP AT VALUES_IDS INTO WA_VALUES_ID.
25 SEARCH WA_VALUES_ID FOR 'SAP'. " Why does prog name follow ?
26 MOVE WA_VALUES_ID(SY-FDPOS) to VALUES_ID.
27 CALL FUNCTION 'VRM DELETE VALUES'
28 EXPORTING
29 ID = VALUES_ID
30 EXCEPTIONS
31 ID_NOT_FOUND = 4.
32
33 IF SY-SUBRC = 4.
34 * EXIT. " I don't know how to handle th exception
```

Já foi retirado, rsss.

VOÇÊ JÁ VIU CÓDIGOS COMO ESTES

UDERSON LUIS FERMINO

9:RSSOAPUT




The screenshot shows the ABAP Editor interface for a report named RSSOAPUT. The code is as follows:

```
159         using object_id      "BSSOCX
160             hex_mode
161             rcode.          "BSSOCX
162     if rcode ne 0.
163         IF SY-SUBRC <> 0.
164         * Whoops, no entry in the database.
165         error = 3
```

- Whoops, no entry in the database. Gritos, nenhuma entrada no banco de dados.

10: GET_DATA



The screenshot shows the Class Builder interface for the class CL_BUS_LOCATOR_SETTINGS. The GET_DATA method code is as follows:

```
31     IF gs_global_values-options IS INITIAL.
32         CALL METHOD get_default
33             IMPORTING
34                 es_settings = gs_values.
35     ELSE.
36         gs_values-options = gs_global_values-options.
37     ENDIF.
38
39     * Severe error, damn.
40     WHEN 2.
```

- Severe error, damn. – erro grave Maldita.

VOÇÊ JÁ VIU CÓDIGOS COMO ESTES

UDERSON LUIS FERMINO


11: LCORFF1K



```
ABAP Editor: Display Include LCORFF1K
Include LCORFF1K Active
34 EXCEPTIONS
35     NOT_FOUND = 1
36     OTHERS    = 2.
37 CHECK SY-SUBRC = 0 AND
38     NOT L_ACTIVE IS INITIAL.
39 * Customer-Exit ist aktiv
40 * Möglichkeit kundenspezifischer Ergänzungen
41 * ATTENTION: Here it is forbidden to send a dialog (No message,
42 * NO call screen..)
43 * otherwise it will bite you in the bum
```

- Möglichkeit kundenspezifischer Ergänzungen - Possibilidade de suplementos personalizados
-

12: /DSD/SL_FSRSEL_PROCESS



```
ABAP Editor: Display Include /DSD/SL_FSRSEL_PROCESS
Include /DSD/SL_FSRSEL_PROCESS Active
673 EXPORTING
674     i_fsr_procno = g_procno
675     it_sld_head  = it_sld_head_lock
676 EXCEPTIONS
677     entry_not_found = 1
678     OTHERS          = 99.
679 IF sy-subrc NE 0.
680 * PANIC !!!
681 * If there are *NO* data at this stage, some bullshit
682 * happened before. Therefore:
```

13: CONTROL_CREATE



```
Function Builder: Display CONTROL_CREATE
Function module CONTROL_CREATE Active
Attributes Import Export Changing Tables Exceptions Source code
152 *
153 * CASE SY-SUBRC.
154 * WHEN 1.
155 ** who cares, if the control is not in the database ?
156 * WHEN 2.
```

VOÇÊ JÁ VIU CÓDIGOS COMO ESTES

UDERSON LUIS FERMINO

14: LTHMEX_FRONTENDF05



ABAP Editor: Display Include LTHMEX_FRONTENDF05

```
include LTHMEX_FRONTENDF05 Active
103 <l_str_planner> TYPE thmext_planner.
104
105 * we do some checks. If they fail, who cares, there will be no volume
```

15: MV45AF0T_T001W_SELECT



ABAP Editor: Display Include MV45AF0T_T001W_SELECT

```
include MV45AF0T_T001W_SELECT Active
57 IF NOT VBAK-ABDIS IS INITIAL OR VBAK-VBTYP CA VBTYP PBED.
58     PERFORM T001W_SELECT_ERROR USING US_WERKS US_ERROR CH_SUBRC.
59
60 ELSE.
61     * Take it, shake it, fake it and make it!
```


16: LCPBRTOP



ABAP Editor: Display Include LCPBRTOP

```
include LCPBRTOP Active
4861 * cleaning up deletion of the browser object, mainly freeing
4862 * allocated resources and controls to prevent the frontend
4863 * from dying a resource problem death...
4864 *****
```

17: HR_GBSSP_DAY_CHECKS



Function Builder: Display HR_GBSSP_DAY_CHECKS

```
Function module HR_GBSSP_DAY_CHECKS Active
Attributes Import Export Changing Tables Exceptions Source code
25 *
26 CLEAR p_exclusion.
27 *
28 * 1) Check contract ended (and if it has that the leave reason = DEATH)
29 *
```


VOÇÊ JÁ VIU CÓDIGOS COMO ESTES

UDERSON LUIS FERMINO

18: NEXT_NODE




Class Builder: Class CL_BSP_DELTA_HANDLER Display

Method: **NEXT_NODE** Active

```
7       node_to_delete = m_current_node.  
8       ENDIF.  
9  
10      * Node delete means something very funny in our wonder world.  
11      * Did Alice has anything to do with this? When we delete a
```

19: LSMIGR_MSSF02



ABAP Editor: Display Include LSMIGR_MSSF02

Include: **LSMIGR_MSSF02** Active

```
250      * and text to ntext)  
251      * The other way around would be pretty stupid, right?  
252      * Nobody in the world migrates from unicode to non-unicode.  
253      * Objection, your honor!  
254
```

20: SHOW_DEMO



ABAP Editor: Display Report SHOW_DEMO

Report: **SHOW_DEMO** Active

```
346      lifetime_dynpro_dynpro_link = 5.  
347      IF sy-subrc <> 0.  
348          MESSAGE 'Shit, it didn't work' TYPE 'E'.  
349      ENDIF.  
350
```